



743 Gladstone Road, Gisborne Phone: 06 867 9405 Fax: 06 867 8260 E-mail: gisborne@evs.co.nz
46 Freyberg Street, Wairoa Phone: 06 838 6099 Fax: 06 838 6056 E-mail: wairoa@evs.co.nz

Convenience in a single dose - 5in1 + B₁₂

Ultravac® 5in1 + B₁₂ and Multine® B₁₂ vaccines ensure protection against common clostridial diseases and provide B₁₂ to deficient animals. B₁₂ deficiency is most likely to be seen on farms where pumice soils dominate. B₁₂ is essential for energy production and is also necessary for optimum growth and wool production. A suckling lamb cannot manufacture vitamin B₁₂ from dietary cobalt until its rumen is fully developed. It is entirely dependent on the vitamin B₁₂ stored in its liver (from mum) and B₁₂ in milk. Fast growing stock have a higher requirement than adult stock. Lambs and hoggets are more susceptible to B₁₂ deficiency than adult sheep especially in the spring-summer period. Both **Ultravac® 5in1 + B₁₂** and **Multine® B₁₂** contain 2mg/ml of B₁₂ as well as 5 in 1, the ideal product for lambs at weaning. The recommended time to start a clostridial vaccination programme is at weaning (or docking if ewes were not vaccinated pre-lamb).



Hard working dog premium foods

Our range of Premium Foods meet the high energy farm dogs need for sustained performance;

Royal Canin Endurance 4800

- Highly palatable, high calorie premium food that provides 32% protein and 30% fat.

Black Hawk Working Dog Adult

- 100% natural, Lamb & Beef flavour working dog food formulated for NZ working dogs.



Talk to the team at Eastland Vets today about “farm deal packages” on Black Hawk & Royal Canin Endurance 4800 for your working dog team .

Flea & Tick Control for Dogs

Nexgard® Chewable (*afoxolaner*) ;

- A monthly oral treatment in the form of a highly palatable beef flavoured chew.
- Safe for puppies from 8 wks of age & weighing 2kg or more.
- Kills existing fleas within 30 minutes and rapidly controls infestations on dogs with newly acquired adult fleas and ticks.



Bravecto® Chewable (*fluralaner*);

- Provides 3mths of flea and tick protection in just one dose.
- Safe for puppies from 8 wks of age & weighing 2kg or more.
- Approved for the treatment and control of demodectic mange (generalised demodicosis).
- Convenient—fits easily with 3 monthly worming regimes.



Seresto® collar (*imidacloprid, flumethrin*) ;

- 8mths protection—the longest protection time of any flea and tick product available.
- Safe, convenient, odour-free and water-resistant.
- Available in two sizes—small & large dog.
- Kills fleas in less than 2hrs after contact.
- Flumethrin ensures that ticks are repelled and killed preventing them from attaching to dogs.
- Predetermined break point and emergency release ratchet system allows the collar to loosen or break without injury.



Limited Time: \$10 off each Seresto® collar until 24th Dec, 2019

Sheep Performance Vaccines

The **Toxovax®** season is once again in full swing. A friendly reminder to place your order at least **4 weeks** in advance to ensure your supply. Don't forget you can vaccinate your 2 toothies with **Campyvax4®** at the same time - followed by a booster dose 4-6 weeks later (at least a month before mating).

Androvax® is another great option to increase the number of lambs born on your property, which is the most important driver of sheep farm profitability. All sheep performance vaccinations need to be well planned in advance. Feel free to call the clinic to discuss or review your sheep performance vaccination programme for 2019-20.



Order your Sheep Performance Vaccines through our website www.evs.co.nz to go in the monthly draw to win a \$60 grocery voucher.
Offer ends 31st March 2020

Product information

Nov/Dec 2019

Fly Protection Options this Summer

Spray-On/Pour-On	Product	Active ingredient	Protection Period Label claim	Activity	Meat Withholding Period
	Clik Extra Spray-On 5L/20L	Dicyclanil (65g/l)	14-26 weeks	Fly	21 days
	Clik Spray-On 20L	Dicyclanil (50g/l)	Up to 18 weeks*	Fly	35days
	ClikZin Spray-On 5L/20L	Dicyclanil (12.5g/l)	Up to 9wks*	Fly	7 days
	Cyrazin Spray-On 10L/20L	Cyromazine (60g/l)	6 weeks*	Fly	14 Days
	Zapp Encore 20L	Triflumuron (25g/l) & Imidacloprid (30g/l)	At least 8 weeks*	Fly/ Maggot/ Lice	56days
	Exit Pour-On 20L	Triflumuron (25g/l)	At least 8 weeks*	Fly/Lice	49 days
Jetting liquid	Cyrazin Liquid 2L/5L	Cyromazine (500g/l)	Up to 12weeks*	Fly	7 days
	Cyrazin K.O. 1L/5L	Cyromazine (500g/l) & Ivermectin (15g/l)	Up to 12weeks*	Fly/ maggot/lice	21 days
	Cyrex Liquid 250ml/5L/10L	Cyromazine (500g/l/ Spinosad (12.5g/l)	Up to 12 weeks*	Fly/ Maggot/ Lice	7 days

**Note - Protection periods are only a guide and may not apply to your farm situation. Factors such as weather, application method/technique and fly pressure influence protection periods. Check with us for realistic protection periods to make the right choice for you.*

Bayticol Pour-on Tickicide for Cattle & Deer

- Kills ticks at all 3 life cycle stages**

Kills larval, nymph and adult stages, breaking their life cycle.

- Persistent activity**

Treating all cattle and deer on a property every 3-6 weeks with bayticol will ensure all ticks that attack the host will come in contact with the active, killing majority of ticks.

- Total body coverage**

Bayticol's unique active, flumethrin (a synthetic pyrethroid) spreads through oils of the skin and coat, enabling total body protection to be achieved from a single line applied on the animal's back.

- Dramatic visible results**

Animals are free from ticks within 2-3 days.

- NIL meat withholding**

