Nexan Corporation Limited

PO Box 217234 Botany Junction Auckland

Phone: +64 9 274 8848 Fax: +64 9 274 8842

This SDS consists of 16 sections.

Page 1

Effective Date: 12/06/19

**Active+ Treble iTape Oral** 

	Section 1: Identification of the Substance
Product Name	Active+ Treble iTape Oral
Use	Oral combination drench for sheep
Company Details	Nexan Corporation Limited PO Box 217234 Botany Junction Auckland Phone: +64 9 274 8848 Fax: +64 9 274 8842
Emergency Phone Number	National Poisons Centre: 0800 764 766 (0800 POISON)

Section 2: Hazardous Identification	
Hazard classifications	6.1D, 6.5B, 6.6B, 6.8B, 6.9B, 9.1A, 9.2D, 9.3C, 9.4A.
Priority identifiers	DANGER – Keep out of reach of children Ecotoxic
Secondary identifiers	6.1E May be harmful if swallowed, inhaled or absorbed through the skin 6.5B May cause an allergic skin reaction 6.6B Suspected of causing genetic defects 6.8B Suspected of damaging fertility or the unborn child from repeated oral exposure 6.9B May cause damage to the nervous, cardiovascular, liver, blood and haematopoietic system through prolonged or repeated oral exposure at high doses 9.1A Very toxic to aquatic organism with long lasting effects 9.2D Harmful to the soil environment 9.3C Harmful to terrestrial vertebrates 9.4A Very toxic to terrestrial invertebrates
Risk and safety phrases	R48/22 Harmful: Danger of serious damage to health by prolonged exposure if swallowed R63 Possible risk of harm to the unborn child R64 May cause harm to breast-fed babies R50 Very toxic to aquatic organisms

Page 2

Effective Date: 12/06/19

**Active+ Treble iTape Oral** 

Nexan Corporation Limited

PO Box 217234 **Botany Junction** Auckland

Phone: +64 9 274 8848 Fax: +64 9 274 8842

This SDS consists of 16 sections.

Section 3: Composition		
<u>Ingredient</u>	CAS Number	Content (%)
Ivermectin	70288-86-7	0.1
Levamisole HCL	16595-80-5	4.0
Oxfendazole	53716-50-0	2.27
Praziquantel	55268-74-1	1.88
EDTA Cobalt	15137-09-4	<10
Sodium Selenate	13410-01-0	<1
Citric Acid	77-92-9	<10

Section 4: First Aid	
For advice contact the Na	tional Poisons Centre on 0800 POISON (0800 764 766), or a doctor immediately.
INGESTION	If swallowed do NOT induce vomiting. Rinse mouth. Keep subject warm and at rest. Seek medical attention immediately.
EYES	If splashed in eyes, rinse cautiously with water for at least 15 minutes. Continue rinsing, & if eye irritation persists, seek medical attention.
SKIN	If skin or hair contact occurs remove contaminated clothing and wash affected area thoroughly with plenty of soap and water for at least 15 minutes. If skin irritation or rash occurs, seek medical attention. Dispose of contaminated clothing promptly.
INHALATION	Remove patient to fresh air. Lay patient down and keep warm and rested. If breathing is shallow or has stopped, ensure airway is clear and apply resuscitation. If breathing is difficult give oxygen. Seek medical assistance immediately.
Workplace facilities	
Hygiene practices	Do not eat, drink or smoke while using this product. Remove protective clothing and wash hands and face thoroughly before meals and after handling. Wash protective clothing daily after work. Contaminated clothing should not be allowed out of the workplace.
Notes for medical personnel	No specific antidote. If poisoning is suspected apply symptomatic therapy

Page 3

Effective Date: 12/06/19

**Active+ Treble iTape Oral** 

Nexan Corporation Limited

PO Box 217234 Botany Junction Auckland

Phone: +64 9 274 8848 Fax: +64 9 274 8842

This SDS consists of 16 sections.

	Section 5: Fire Fighting	
Type of hazard	Not classified as flammable	
Fire hazard properties	Not applicable	
Regulatory requirements	Not applicable	
Extinguishing media and methods	There is no restriction on the type of extinguisher which may be used. Use extinguishing media suitable for surrounding area.	
Hazchem code	3Z	
Recommended protective clothing	Wear full protective clothing and breathing apparatus.	
Section 6: Accidental Release		
Emergency procedures	In case of spillage it is important to take all steps necessary to:  • Avoid eye and skin contact.  • Avoid contamination of waterways  Procedure for spill:  (1) Keep all bystepdore away.	
	<ul><li>(1) Keep all bystanders away.</li><li>(2) Wear full length clothing, PVC gloves and eyewear</li><li>(3) Reposition any leaking containers so as to minimise further leakage.</li></ul>	

Section 7: Handling and Storage	
Precautions for safe handling	Avoid contact with skin, eyes and inhalation of vapours. Avoid accidental injection. Use personal protective equipment as required.
Approved handlers	Not required
Conditions for safe storage	Store in original container below 30°C and under secure conditions. Keep out of reach of children.
Packaging	Packaging Schedule 3 (UN Packing Group III) for quantities >5L (Hazardous Substances Packaging Regulations 2001).
Store site requirements	This substance is subject to a requirement for an emergency management plan, secondary containment and signage, whenever it is held in quantities of 100L or more. See Hazardous Substances (Emergency management) regulations 25 to 42.

(4) Dam and absorb spill with an absorbent material (e.g. sand, soil or

absorbent granules) and place in a sealable waste container. (5)Ventilate area and wash spill site after pick-up complete.

(6) Dispose of waste safely in an approved landfill.

Nexan Corporation Limited

PO Box 217234 Botany Junction Auckland

Phone: +64 9 274 8848 Fax: +64 9 274 8842

This SDS consists of 16 sections.

Page 4

Effective Date: 12/06/19

**Active+ Treble iTape Oral** 

Sect	Section 8: Exposure / Personal Protective Equipment	
Workplace exposure standards. Application in the workplace	N/A.	
Exposure standards outside the workplace	N/A.	
Engineering controls	Handle in well ventilated area.	
Personal protection	When opening the container and using the product wear protective clothing including impermeable gloves and eye protection, to avoid skin and eye contact.	

Section 9: Physical and Chemical Properties		
Formulation type	Aqueous suspension	
Appearance	Pale purple liquid	
Viscosity	N/A	
Specific gravity	1.00 to 1.10	
Behaviour in water	Miscible in water	
Section 10: Stability and Reactivity		
Stability of the substance	When stored appropriately this product should show no significant degradation for at least 36 months from the date of manufacture.	
Conditions to avoid	No specific conditions to avoid.	

Stability of the substance	When stored appropriately this product should show no significant degradation for at least 36 months from the date of manufacture.
Conditions to avoid	No specific conditions to avoid.
Material to avoid	No specific materials to avoid.
Hazardous decomposition products	No hazardous products are expected, except when heated to decomposition.
Hazardous polymerisation	Not known to occur.

Nexan Corporation Limited PO Box 217234

Botany Junction Auckland

Phone: +64 9 274 8848 Fax: +64 9 274 8842

This SDS consists of 16 sections.

Page 5

Effective Date: 12/06/19

**Active+ Treble iTape Oral** 

### **Section 11: Toxicological Information**

Inhalation: EDTA Cobalt: Respiratory effects seen at 2.4 mg/m3 in female Guinea-pigs

Ingestion: Harmful if swallowed Ivermectin: LD50 11.6 mg/kg
Levamisole: LD50 200mg/kg/bw
Praziquantel: LD50 1050mg/kg/bw
Sodium selenate: LD50 25mg/kg/bw
Citric acid: LD50 5000mg/kg/bw
Skin: Citric acid - Irritating

#### **Chronic Effects**

Levamisole: Mutagenic effects.

Ivermectin: No evidence of mutagenic or carcinogenic effects. Oxfendazole: NOAEL 20mg/kg/bw/day for reproductive effects

Cobalt: Causes respiratory tract irritation, may cause asthma and shortness of breath. Sodium selenate: NOAEL 0.37mg/kg/bw/day for Hepatotoxicity/Alimentary system effects.

Section 12: Environmental Information	
Aquatic	Ivermectin: 96hr LC50 0.0032mg/L (Rainbow trout) Oxfendazole: 48hr LC50 0.52mg/L (Daphnia magna) Sodium selenate: 96hr LC50 0.69mg/L (Fathead minnow)
Soil	Ivermectin photodegrades rapidly in the environment and is metabolized in the soil.
Terrestrial Vertebrates	Ivermectin: LD50 11.6mg/kg Levamisole: LD50 200mg/kg/bw
Terrestrial Invertebrates	Ivermectin: LC50 0.002 ug/bee

#### Section 13: Disposal

Preferably dispose of the product by use. Otherwise dispose of product and packaging at an approved landfill or other approved facility. Crush and bury in an approved landfill if an approved recycling system is not available. Do not burn. Do NOT use container for any other purpose.

Section 14: Transport	
Dangerous Goods for transport. ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Ivermectin) The maximum quantity per package of this substance allowed for carriage on public transport is 5L.	
Dangerous goods class	9
UN Number	3082

Page 6

Effective Date: 12/06/19

**Active+ Treble iTape Oral** 

Nexan Corporation Limited PO Box 217234

Botany Junction Auckland

Phone: +64 9 274 8848 Fax: +64 9 274 8842

This SDS consists of 16 sections.

### **Section 15: Regulatory**

Registered pursuant to the ACVM Act 1997, No. A011498 See www.nzfsa.govt.nz/acvm for registration conditions

EPA Approval Code: HSR100758

#### **Section 16: Other Information**

This Safety Data Sheet summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.